



> 1 ASSOC CITY: RENO 4 STATE: NV LOC ID: RNO FAA SITE NR: 13123.*A
 > 2 AIRPORT NAME: RENO/TAHOE INTL 5 COUNTY: WASHOE NV
 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: SAN FRANCISCO

GENERAL		SERVICES		BASED AIRCRAFT	
> 10 OWNERSHIP:	PUBLIC	> 70 FUEL:	100LL A1+	90 SINGLE ENG:	114
> 11 OWNER:	RENO-TAHOE AIRPORT AUTHORITY	> 71 AIRFRAME RPRS:	MAJOR	91 MULTI ENG:	18
> 12 ADDRESS:	P O BOX 12490	> 72 PWR PLANT RPRS:	MAJOR	92 JET:	25
	RENO, NV 89510-2490	> 73 BOTTLE OXYGEN:	HIGH/LOW	93 HELICOPTERS:	3
> 13 PHONE NR:	775-328-6402	> 74 BULK OXYGEN:	HIGH/LOW	TOTAL:	160
> 14 MANAGER:	DAREN GRIFFIN, A.A.E.	75 TSNT STORAGE:	TIE	94 GLIDERS:	0
> 15 ADDRESS:	P O BOX 12490	76 OTHER SERVICES:		95 MILITARY:	9
	RENO, NV 89510-2490	AMB, AVNCS, CARGO, INSTR, RNTL,		96 ULTRA-LIGHT:	0
> 16 PHONE NR:	775-328-6550	SALES			
> 17 ATTENDANCE SCHEDULE:					

ALL	ALL	ALL	FACILITIES		OPERATIONS	
> 18 AIRPORT USE:	PUBLIC	> 80 ARPT BCN:	WG	100 AIR CARRIER:	44,896	
> 19 ARPT LAT:	39-29-56.8000N ESTIMATED	> 81 ARPT LGT SKED :		102 AIR TAXI:	18,079	
> 20 ARPT LONG:	119-46-05.2000W	BCN LGT SKED :	SS-SR	103 G A LOCAL:	5,217	
> 21 ARPT ELEV:	4414.9 SURVEYED	> 82 UNICOM:	122.950	104 G A ITRNT:	36,556	
> 22 ACREAGE:	1,450	> 83 WIND INDICATOR:	YES-L	105 MILITARY:	2,348	
> 23 RIGHT TRAFFIC:	NO	84 SEGMENTED CIRCLE:	NONE	TOTAL:	107,096	
> 24 NON-COMM LANDING:	NO	85 CONTROL TWR:	YES	OPERATIONS FOR		
> 25 NPIAS/FED AGREEMENTS:	NGY	86 FSS:	RENO	12 MONTHS		
> 26 FAR 139 INDEX:	I C S 05/1973	87 FSS ON ARPT:	NO	ENDING:	06/30/2022	
		88 FSS PHONE NR:				
		89 TOLL FREE NR:	1-800-WX-BRIEF			

	08/26	17L/35R	17R/35L
> 30 RUNWAY INDENT:	6,102	9,000	11,001
> 31 LENGTH:	150	150	150
> 32 WIDTH:	CONC-G	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	60.0	75.0	75.0
35 GROSS WT: S	170.0	209.0	185.0
36 (IN THSDS) D	260.0	407.0	350.0
37 2D		850.0	850.0
38 2D/2D2			
> 39 PCN:	72 /R/B/W/T	88 /R/B/W/T	88 /R/B/W/T
LIGHTING/APCH AIDS			
> 40 EDGE INTENSITY:	MED	HIGH	HIGH
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	NPI - G / NPI - G	PIR - G / PIR - G
> 43 VGSI:	P4L / P4L	P4L / P4L	P4L / P4L
44 THR COSSING HGT.:	48 / 45	75 / 75	77 / 72
45 VISUAL GLIDE ANGLE:	3.20 / 3.00	3.00 / 3.35	3.06 / 3.54
> 46 CNTRLN-TDZ:	N - N / N - N	Y - / Y -	Y - N / Y - N
> 47 RVR-RVV:	- N / - N	- / -	T - Y / R -
> 48 REIL:	Y / Y	Y / Y	N / N
> 49 APCH LIGHTS:	/	/	MALSR / MALSR
OBSTRUCTION DATA			
50 FAR 77 CATEGORY	B(V) / B(V)	C / C	PIR / PIR
> 51 DISPLACED THR:	/	/	1,000 / 990
> 52 CTLG OBSTN:	POLE / TREE	/	/ GND
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	118 / 44	/	/ 243
> 55 DIST FROM RWY END:	2,625 / 1,150	/	/ 8,050
> 56 CNTRLN OFFSET:	500L / 275L	/	/ 1500R
57 OBSTN CLNC SLOPE:	20:1 / 21:1	50:1 / 50:1	50:1 / 32:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N
DECLARED DISTANCES			
> 60 TAKE OFF RUN AVBL (TORA):	5,854 / 6,102	9,000 / 9,000	11,001 / 11,001
> 61 TAKE OFF DIST AVBL (TODA):	5,854 / 6,102	9,000 / 9,000	11,001 / 11,001
> 62 ACLT STOP DIST AVBL (ASDA):	6,102 / 6,102	9,000 / 9,000	11,001 / 11,001
> 63 LNDG DIST AVBL (LDA):	5,854 / 6,102	9,000 / 9,000	10,001 / 10,011

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 030 RWY 17R/35L RWY CLSD UFN.

A 057 RWY 35L APCH RATIO 37:1 TO DTHR.

A 110-001 WATERFOWL ALL QUADRANTS ALL SEASONS. CONCENTRATED NW OF RWY 17R AND EAST OF RWY 17L.

A 110-002 24 HRS PPR FOR TSNT ACFT PARKING WITH WINGSPANS GREATER THAN 75 FT.

A 110-003 TWY C BTN TWY L & TWY D RSTRD TO ACFT 100000 LBS OR LESS.

A 110-004 NOISE SENSITIVE AREA ALL QUADS. PILOTS OF TBJT ACFT USE RCMDD NOISE ABATEMENT PROCS; AVBL ON REQ.

A 110-005 NOISE NOTE CONT: PILOTS OF NON-TBJT ACFT USE BEST ABATEMENT PROCS AND SETTINGS. AVOID AS MUCH AS FEASIBLE FLYING OVER POPULATED AREAS.

A 110-006 MIL ACFT: TSNT ACFT EXECUTE STRAIGHT-IN FULL STOP APCH. OVERHEAD PAT NOT AUTH FOR TSNT ACFT.

A 110-007 MIL ACFT: NOISE ABTMT CRITICAL TERMINATE AFTERBURNER ASAP THEN CLIMB TO 6500 FT MSL ASAP.

A 110-010 GLIDER/SOARING OPER 30-50 MILES SOUTH OF ARPT DURING VFR WEATHER & MOUNTAIN WAVE WIND CONDITIONS 1100 TO SS.

A 110-015 TWY C BTN TWY L AND TWY D CLSD TO AIR CARRIER ACFT.

A 110-016 TWY A BETWEEN NORTH TWY B AND TWY D CLSD TO ACFT WITH WINGSPAN GREATER THAN 149 FT.

A 110-017 ALL COMMERCIAL AIRCRAFT CONTACT GROUND CONTROL FOR ADVISORIES PRIOR TO PUSH BACK ON THE TERMINAL RAMP.

A 110-019 INTENSIVE GLIDER ACTIVITY INVOF ARPT AND SURROUNDING AREAS UP TO 18000 FT.

111 INSPECTOR: (F) 112 LAST INSP: 08/20/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NV LOC ID: RNO FAA SITE NR: 13123.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-020 ANG: PPR 24 HR PN RQRD.
 A 110-021 TWY M CLSD TO AIR CARRIER ACFT.
 A 110-022 TWY J EAST OF RY 16L/34R CLSD TO AIR CARRIER ACFT.
 A 110-023 ANG: ANG OPS 1430-2359Z++ MON-FRI EXC HOL AND SKED DAYS OFF; OTR TIMES BY NOTAM; DSN 830-4709 OR C775-788-4709.
 A 110-024 ANG: APN HAS 22 FT X 6 FT ACFT GND EQUIP (AGE) BOXES LCTD TO THE EAST OF EA PKG SPOT.
 A 110-025 PRESIDENT / CEO OF RENO-TAHOE ARPT AUTHORITY-DARREN GRIFFIN, CARRIE GUEDEA, AMGR (775) 328-6446.
 A 110-026 ACFT OVR 12500 LBS: WRITTEN PPR FOR TRNG FLIGHTS; FOR MORE INFO CTC ARPT OPS 1-775-328-6490.
 A 110-027 ANG: COMSEC MTRL STORAGE AVBL WITH PRIOR CDN AT 152 CF/SCXS, DSN 830-4798.

111 INSPECTOR: (F) 112 LAST INSP: 08/20/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NV LOC ID: RNO FAA SITE NR: 13123.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 08/20/2019 113 LAST INFO REQ: